

certificate  
no. **BAU 18117**  
dated 2018-06-12

Translation In any case, the German original shall prevail.

## EuroTest Certificate

Name and address of the holder of the certificate: (customer) LTW Tiefbauvertriebs GmbH  
Holter Weg 11  
41836 Hückelhoven

Product designation: **Slide Rail System - Single Slide Rail**

Type: Corner-Single-Slide-Rail  
EG Corner Rail up to L=4,00m Md=147 kNm

Testing based on: EN 13331:November 2002  
DIN 4124:January 2012

Test report: 20180021007

Further details: The permissible earth pressure loading is to be taken from the manufacturer's assembly instructions as a function of the system size.  
Additional certificate to number: 13105-ET

Intended Purpose  
According to assembly instructions of manufacturer.

The manufacturer is also Certificate holder

The type tested complies with the test basis specified above.


The holder of the certificate is entitled to affix the ET-mark shown overleaf to the products complying with the type tested.

The present certificate including the right to affix the ET-mark is valid until: **2023-06-10**

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification.



Dipl.-Ing. (FH) Franz Welsch  
Deputy Head of Certification Body



certificate  
no. **BAU 14064**  
dated 2014-03-18

Translation

## EuroTest Certificate

Name and address of the holder of the certificate: (customer) LTW Tiefbauvertriebs GmbH  
Holter Weg 11  
41836 Hückelhoven

Product designation: **Slide rail paneel - VS 100**

Type: VS 100  
For paneel lengths of up to L=4,02 m  
for paneel heights of up to: 2,38 m,  
for on-stick paneel heights of up to: 1,37 m und 1,57 m

Testing based on: DIN 4124: January 2012  
DIN EN 13331: November 2002

Test report: Hegger + Partner Ing.GmbH & Co KG, Projekt G13-072 vom  
29.11.13

Further details: The permissible earth pressure loading is to be taken from the manufacturers manual as a function of the system dimensions.

Intended Purpose  
In compliance with use and operating instructions of manufacturer  
Maximum permissible load: see use and operating instructions.


The manufacturer is also Certificate holder

The type tested complies with the test basis specified above.

The holder of the certificate is entitled to affix the ET-mark shown overleaf to the products complying with the type tested.

The present certificate including the right to affix the ET-mark is valid until: **2019-03-17**

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification of August 2012.

  
Dipl.-Ing. Univ. Reinhold Hartdegen  
Head of the Testing and Certification Body



In any case, the German original shall prevail.



Deutsche  
Akkreditierungsstelle  
D-ZE-17009-09-01

certificate  
no. **BAU 14065**  
dated 2014-03-18

Translation

## EuroTest Certificate

Name and address of the holder of the certificate: (customer) LTW Tiefbauvertriebs GmbH  
Holter Weg 11  
41836 Hückelhoven

Product designation: **Slide rail paneel - VS 120**

Type: VS 120  
For paneel lengths of up to L=4,02 m - 7,02 m  
for paneel heights of up to: 2,38 m  
for on-stick paneel heights of up to: 1,37 m und 1,57 m

Testing based on: DIN 4124:January 2012  
DIN EN 13331:November 2002

Test report: Hegger + Partner Ing. GmbH & Co KG, Projekt G13-072 vom 29.11.13

Further details: The permissible earth pressure loading is to be taken from the manufacturers manual as a function of the system dimensions.


Intended Purpose  
In compliance with use and operating instructions of manufacturer  
Maximum permissible load: see use and operating instructions.

The manufacturer is also Certificate holder

The type tested complies with the test basis specified above.  
The holder of the certificate is entitled to affix the ET-mark shown overleaf to the products complying with the type tested.

The present certificate including the right to affix the ET-mark is valid until: **2019-03-17**

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification of August 2012.

  
Dipl.-Ing. Univ. Reinhold Hardegen  
Head of the Testing and Certification Body



In any case, the German original shall prevail.

